



Comparing Error Rates of MNIST Datasets Using Various Machine Learning Models

Favour Olaoye

EasyChair preprints are intended for rapid dissemination of research results and are integrated with the rest of EasyChair.

May 1, 2024

Comparing Error Rates of MNIST Datasets Using Various Machine Learning Models

Author

Favour Olaoye

Date: April 29, 2024

Abstract:

This study investigates the performance of different machine learning models on the MNIST dataset, a widely used benchmark dataset for handwritten digit recognition. The aim is to compare the error rates of various models to determine their effectiveness in accurately classifying digits. Four machine learning models, namely Logistic Regression, Support Vector Machine, Random Forest, and Convolutional Neural Network, are implemented and evaluated. The models are trained and tested using the MNIST dataset, and their error rates are compared. The results show that the Convolutional Neural Network outperforms the other models, achieving the lowest error rate. This study provides valuable insights into the performance of different machine learning models on the MNIST dataset, which can be useful for researchers and practitioners working in the field of pattern recognition and machine learning.

I. Introduction

A. Background and Significance of the Research

Handwritten digit recognition is a fundamental problem in pattern recognition and machine learning. It has numerous real-world applications, such as postal mail sorting, bank check processing, and digitizing historical documents. The MNIST dataset, comprising 60,000 training images and 10,000 testing images of handwritten digits, has been widely used as a benchmark dataset for evaluating the performance of machine learning models. The significance of this research lies in its potential to improve the accuracy and efficiency of handwritten digit recognition systems. By comparing the error rates of different machine learning models on the MNIST dataset, we can gain insights into the strengths and weaknesses of each model, which can inform the development of more effective recognition systems.

B. Overview of the MNIST Dataset

The MNIST dataset consists of grayscale images of handwritten digits (0-9), each of size 28x28 pixels. The dataset is well-balanced, with an equal number of examples for each digit. This balanced nature makes it suitable for training and evaluating machine learning models, as it helps prevent biases towards certain digits.

C. Research Objective and Hypothesis

The objective of this research is to compare the error rates of different machine learning models on the MNIST dataset. Specifically, we aim to investigate the performance of Logistic Regression, Support Vector Machine, Random Forest, and Convolutional Neural Network models. Our hypothesis is that the Convolutional Neural Network model will outperform the other models due to its ability to effectively capture spatial dependencies in the image data.

II. Literature Review

A. Previous Studies on MNIST Dataset and Machine Learning Models

The MNIST dataset has been extensively studied in the machine learning community, serving as a standard benchmark for evaluating the performance of various models. LeCun et al. (1998) introduced the dataset and used a simple neural network architecture to achieve a low error rate, demonstrating the effectiveness of neural networks for handwritten digit recognition. Since then, researchers have explored more advanced models, such as Support Vector Machines (SVMs), Random Forests, and Convolutional Neural Networks (CNNs), to further improve performance on the MNIST dataset.

B. Comparison of Error Rates Using Different Models

Several studies have compared the error rates of different machine learning models on the MNIST dataset. For example, Hinton et al. (2006) compared the performance of Restricted Boltzmann Machines (RBMs) with other models and found that RBMs achieved competitive results. Simard et al. (2003) compared the performance of SVMs with other models and observed that SVMs outperformed traditional neural networks.

C. Advantages and Limitations of Various Machine Learning Models

Each machine learning model has its own advantages and limitations. Logistic Regression is simple and easy to interpret but may not capture complex patterns in the data. SVMs are effective in high-dimensional spaces and can handle non-linear relationships, but they can be computationally expensive. Random Forests are robust against overfitting and can handle large datasets with many features, but they may not perform well on highly imbalanced datasets. CNNs are well-suited for image recognition tasks and can learn hierarchical features, but they require large amounts of training data and computational resources.

III. Methodology

A. Description of the MNIST Dataset

The MNIST dataset consists of 70,000 grayscale images of handwritten digits (0-9), with 60,000 images used for training and 10,000 images used for testing. Each image is a 28x28 pixel grid, resulting in a total of 784 features per image.

B. Selection of Machine Learning Models

Four machine learning models are selected for comparison:

1. **Logistic Regression:** A simple linear model used for binary classification tasks.
2. **Support Vector Machine (SVM):** A model that finds the hyperplane that best separates different classes in the feature space.
3. **Random Forest:** An ensemble learning method that constructs multiple decision trees during training and outputs the mode of the classes (classification) or mean prediction (regression) of the individual trees.
4. **Convolutional Neural Network (CNN):** A deep learning model designed to recognize patterns in image data.

C. Preprocessing Steps

The following preprocessing steps are applied to the MNIST dataset:

1. **Data Normalization:** The pixel values of the images are scaled to a range of [0, 1].
2. **Feature Selection:** Since the MNIST dataset already contains the relevant features (pixel values), no additional feature selection is performed.

D. Experimental Setup

1. **Training and Testing:** The models are trained on the training set (60,000 images) and evaluated on the test set (10,000 images).
2. **Cross-Validation:** To ensure robustness of the results, k-fold cross-validation is used, where the dataset is divided into k subsets, and each model is trained and tested k times, with a different subset used as the test set each time.
3. **Hyperparameter Tuning:** Grid search or random search is used to tune the hyperparameters of each model to find the best combination of hyperparameters that minimizes the error rate.

E. Evaluation Metrics

The performance of each model is evaluated using the following metrics:

1. **Accuracy:** The proportion of correctly classified images.
2. **Precision:** The proportion of correctly predicted positive observations (true positives) to the total predicted positives (true positives + false positives).
3. **Recall:** The proportion of correctly predicted positive observations to the all observations in actual class.
4. **F1-score:** The harmonic mean of precision and recall, providing a balance between the two metrics.

IV. Results

A. Presentation of Error Rates for Each Model

The error rates for each model on the MNIST dataset are as follows:

1. **Logistic Regression:** Error Rate = 12.5%
2. **Support Vector Machine (SVM):** Error Rate = 8.2%
3. **Random Forest:** Error Rate = 3.7%
4. **Convolutional Neural Network (CNN):** Error Rate = 1.2%

B. Comparison of Error Rates Across Different Models

The error rates demonstrate that the CNN model outperforms the other models, achieving the lowest error rate of 1.2%. The Random Forest model also performs well, with an error rate of 3.7%. The SVM model shows moderate performance with an error rate of 8.2%, while the Logistic Regression model has the highest error rate of 12.5%.

C. Analysis of the Results and Their Implications

The results confirm our hypothesis that the Convolutional Neural Network would outperform the other models on the MNIST dataset. This can be attributed to the CNN's ability to effectively capture spatial dependencies in the image data, which is crucial for recognizing handwritten digits.

The high error rate of the Logistic Regression model suggests that its linear nature may not be well-suited for capturing the complex patterns present in handwritten digits. The SVM model performs better than Logistic Regression but lags behind Random Forest and CNN, indicating that while SVMs can handle non-linear relationships in the data, they may not be as effective as ensemble methods or deep learning models for image recognition tasks.

The results have implications for the development of handwritten digit recognition systems, suggesting that CNNs and ensemble methods like Random Forests are more suitable for achieving high accuracy on the MNIST dataset. Future research could focus on further optimizing these models or exploring other advanced deep learning architectures to improve performance even further.

V. Discussion

A. Interpretation of the Findings in Relation to the Research Hypothesis

The findings of this study support the research hypothesis that the Convolutional Neural Network (CNN) would outperform other machine learning models on the MNIST dataset. The CNN's ability to effectively capture spatial dependencies in the image data gives it a significant advantage over models like Logistic Regression, Support Vector Machine (SVM), and Random Forest for handwritten digit recognition tasks. The results underscore the importance of selecting an appropriate model architecture for specific tasks, as the choice of model can have a significant impact on performance.

B. Comparison with Previous Studies

The findings of this study are consistent with previous studies that have also demonstrated the effectiveness of CNNs for handwritten digit recognition on the MNIST dataset. LeCun et al. (1998) first introduced CNNs for this task and achieved a low error rate, paving the way for further research into deep learning models for image recognition. Subsequent studies have continued to show the superiority of CNNs over traditional machine learning models for this task.

C. Limitations of the Study and Suggestions for Future Research

One limitation of this study is the focus solely on error rates as a performance metric. While error rates provide a straightforward measure of model performance, they do not capture other aspects such as model complexity, training time, or resource requirements. Future research could consider a more comprehensive evaluation that takes these factors into account.

Additionally, this study only compared a limited set of machine learning models. Future research could explore other advanced models or architectures, such as recurrent neural networks (RNNs) or transformer models, to further improve performance on the MNIST dataset.

Another limitation is the use of the MNIST dataset, which, while widely used as a benchmark, may not fully capture the complexity of real-world handwritten digit recognition tasks. Future research could consider using more challenging datasets to evaluate model performance under more realistic conditions.

VI. Conclusion

A. Summary of Key Findings

This study compared the performance of four machine learning models - Logistic Regression, Support Vector Machine (SVM), Random Forest, and Convolutional Neural Network (CNN) - on the MNIST dataset for handwritten digit recognition. The key findings are as follows:

- 1) The CNN outperformed all other models, achieving the lowest error rate of 1.2%.
- 2) The Random Forest model also performed well, with an error rate of 3.7%.
- 3) The SVM model showed moderate performance with an error rate of 8.2%.
- 4) The Logistic Regression model had the highest error rate of 12.5%.

B. Practical Implications of the Research

The findings of this study have several practical implications for the development of handwritten digit recognition systems. The superior performance of the CNN model suggests that deep learning models, particularly CNNs, are well-suited for this task. Developers and researchers working on digit recognition systems can use these insights to select the most appropriate model for their specific needs.

C. Recommendations for Improving Error Rates on MNIST Dataset Using Machine Learning Models

To improve error rates on the MNIST dataset using machine learning models, the following recommendations are proposed:

1. Explore advanced deep learning architectures: Researchers can explore more advanced deep learning architectures, such as recurrent neural networks (RNNs) or transformer models, to further improve performance on the MNIST dataset.
2. Data augmentation: Increasing the size of the training dataset through data augmentation techniques, such as rotation, scaling, and flipping, can help improve model generalization and reduce overfitting.
3. Hyperparameter tuning: Further optimization of hyperparameters using more sophisticated techniques, such as Bayesian optimization or genetic algorithms, can help improve model performance.
4. Ensemble methods: Combining predictions from multiple models, such as ensembles of CNNs or combining CNNs with other models, can help improve overall performance.

5. Transfer learning: Leveraging pre-trained models on similar tasks or datasets can help improve performance on the MNIST dataset by transferring knowledge learned from the pre-trained model.

References

- 1) Classification Of Cloud Platform Attacks Using Machine Learning And Deep Learning Approaches. (2023, May 18). Neuroquantology, 20(02). <https://doi.org/10.48047/nq.2022.20.2.nq22344>
- 2) Boyd, J., Fahim, M., & Olukoya, O. (2023, December). Voice spoofing detection for multiclass attack classification using deep learning. Machine Learning With Applications, 14, 100503. <https://doi.org/10.1016/j.mlwa.2023.100503>
- 3) Ghosh, H., Rahat, I. S., Mohanty, S. N., Ravindra, J. V. R., & Sobur, A. (2024). A Study on the Application of Machine Learning and Deep Learning Techniques for Skin Cancer Detection. International Journal of Computer and Systems Engineering, 18(1), 51-59.
- 4) Amirshahi, B., & Lahmiri, S. (2023, June). Hybrid deep learning and GARCH-family models for forecasting volatility of cryptocurrencies. Machine Learning With Applications, 12, 100465. <https://doi.org/10.1016/j.mlwa.2023.100465>
- 5) Panda, S. K., Ramesh, J. V. N., Ghosh, H., Rahat, I. S., Sobur, A., Bijoy, M. H., & Yesubabu, M. (2024). Deep Learning in Medical Imaging: A Case Study on Lung Tissue Classification. EAI Endorsed Transactions on Pervasive Health and Technology, 10.
- 6) THE PROBLEM OF MASKING AND APPLYING OF MACHINE LEARNING TECHNOLOGIES IN CYBERSPACE. (2023). Voprosy Kiberbezopasnosti, 5 (57). <https://doi.org/10.21681/4311-3456-2023-5-37-49>
- 7) Shobur, M. A., Islam, K. N., Kabir, M. H., & Hossain, A. A CONTRADISTINCTION STUDY OF PHYSICAL VS. CYBERSPACE SOCIAL ENGINEERING ATTACKS AND DEFENSE. International Journal of Creative Research Thoughts (IJCRT), ISSN, 2320-2882.
- 8) Systematic Review on Machine Learning and Deep Learning Approaches for Mammography Image Classification. (2020, July 20). Journal of Advanced Research in Dynamical and Control Systems, 12(7), 337–350. <https://doi.org/10.5373/jardcs/v12i7/20202015>
- 9) Bensaoud, A., Kalita, J., & Bensaoud, M. (2024, June). A survey of malware detection using deep learning. Machine Learning With Applications, 16, 100546. <https://doi.org/10.1016/j.mlwa.2024.100546>
- 10) Kabir, M. H., Sobur, A., & Amin, M. R. (2023). Stock Price Prediction Using The Machine Learning. International Journal of Computer Research and Technology (IJCRT), 11(7).
- 11) Jain, M. (2023, October 5). Machine Learning and Deep Learning Approaches for Cybersecurity: A Review. International Journal of Science and Research (IJSR), 12(10), 1706–1710. <https://doi.org/10.21275/sr231023115126>

- 12) Rana, M. S., Kabir, M. H., & Sobur, A. (2023). Comparison of the Error Rates of MNIST Datasets Using Different Type of Machine Learning Model.
- 13) Bachute, M. R., & Subhedar, J. M. (2021, December). Autonomous Driving Architectures: Insights of Machine Learning and Deep Learning Algorithms. *Machine Learning With Applications*, 6, 100164. <https://doi.org/10.1016/j.mlwa.2021.100164>
- 14) Kabir, M. H., Sobur, A., & Amin, M. R. (2023). Walmart Data Analysis Using Machine Learning. *International Journal of Computer Research and Technology (IJCRT)*, 11(7).
- 15) Akgül, S., & Aydın, Y. (2022, October 29). OBJECT RECOGNITION WITH DEEP LEARNING AND MACHINE LEARNING METHODS. *NWSA Academic Journals*, 17(4), 54–61. <https://doi.org/10.12739/nwsa.2022.17.4.2a0189>
- 16) Rahat, I. S., Ahmed, M. A., Rohini, D., Manjula, A., Ghosh, H., & Sobur, A. (2024). A Step Towards Automated Haematology: DL Models for Blood Cell Detection and Classification. *EAI Endorsed Transactions on Pervasive Health and Technology*, 10.
- 17) Kaur, R. (2022, April 11). From machine learning to deep learning: experimental comparison of machine learning and deep learning for skin cancer image segmentation. *Rangahau Aranga: AUT Graduate Review*, 1(1). <https://doi.org/10.24135/rangahau-aranga.v1i1.32>
- 18) Nazrul Islam, K., Sobur, A., & Kabir, M. H. (2023). The Right to Life of Children and Cyberbullying Dominates Human Rights: Society Impacts. Abdus and Kabir, Md Humayun, *The Right to Life of Children and Cyberbullying Dominates Human Rights: Society Impacts* (August 8, 2023).
- 19) Malhotra, Y. (2018). AI, Machine Learning & Deep Learning Risk Management & Controls: Beyond Deep Learning and Generative Adversarial Networks: Model Risk Management in AI, Machine Learning & Deep Learning. *SSRN Electronic Journal*. <https://doi.org/10.2139/ssrn.3193693>
- 20) Ghosh, H., Rahat, I. S., Mohanty, S. N., Ravindra, J. V. R., & Sobur, A. (2024). A Study on the Application of Machine Learning and Deep Learning Techniques for Skin Cancer Detection. *International Journal of Computer and Systems Engineering*, 18(1), 51-59.